

ne _

School Year \_\_\_\_\_

SECT STING ALLERGT ACTION FLAN

Date of Birth		Grade		_ Grad Yea	Grad Year	
School		Teacher/HR				
	DIAN EMERGENCY				y in case of emergency.	
Phone 1		H/C/W Na	me/Relationship	)		
Phone 2.		H/C/W Na	me/Relationship			
Phone 3.		H/C/W Na	me/Relationship			
Phone 4.		H/C/W Na	me/Relationship			
Email for Health Pla	n updates:					
ALLERGY:						
Physician student s	sees for Allergy			Phone		
Asthmatic: Yes	No (If yes, stud	lent has high	er risk for a seve	ere reaction)	)	
<ul><li>Hives/Rash</li><li>Itching</li></ul>	ns your child has d Tightness in Che Swelling Arms/Legs Flushed Face	est Diff Unc Cran Pair	iculty Breathing onsciousness mping / Abdomin	nal	Nausea / Vomiting Drooling Swollen lips / tongue	
Onset of symptoms <ul> <li>Immediately</li> </ul> <li>Does your child red</li>	minutes quire an antihistam	contact:	l hour □ Witi	hin 2 hours 0	Varies/Unknown	
	/Dose					
-	equire Epinephrine		Yes N			
	r needed epinephri		Yes N	0		

**NOTE:** Parents are responsible for providing medications given at school. A <u>Medication Authorization Form</u> needs to be filled out and signed by a parent/guardian and health care provider annually.

PLEASE COMPLETE AND SIGN NEXT PAGE  $\rightarrow$ 

## EMERGENCY ACTION PLAN -STEPS TO TAKE DURING AN ALLERGIC REATION

#### If you see this: Mild Reaction \_\_\_\_\_, Do This:

- Have student come to the office/health room with an escort
- Put ice on sting. Make sure stinger is removed.
- Call parent/guardian to inform them of situation and get permission to give antihistamine (such as Benadryl) Give\_\_\_\_\_mg\_\_\_\_antihistamine or Locate the student's epinephrine pen or retrieve a STOCK EpiPen if theirs cannot be antihistamine orally
- . located
- Continue to monitor for 20-30 minutes and observe for signs and symptoms of anaphylaxis

### IF YOU SEE THIS: ANAPHYLAXIS, A SEVERE ALLERGICE REACTION

**Mouth:** Itching, tingling, or swelling of the lips, tongue, or mouth. **Throat**: Itching or tightening in the throat, hoarseness, hacking cough. **Skin:** Hives, itchy rash, swelling of the face or extremities. **Gut:** Nausea, abdominal cramps, vomiting, diarrhea,

Lungs: Shortness of breath, repetitive coughing, wheezing.

Heart: Weak or irregular pulse, low blood pressure, faintness, pale, blue

# DO THIS: FOR SEVER ANAPHYLACTIC REACTION

- Call the school office to have the EpiPen brought to student immediately
- Have the office call a Medical Emergency Response and Call 911
- If the student does not have their EpiPen at school, use a STOCK EpiPen
- Administer the EpiPen immediately. May repeat with a second EpiPen after 5-20 minutes.

 $\sqrt{1}$  Dispose of needle and injector in a red sharps container

 $\sqrt{\text{Give EpiPen package and a copy of this health plan to rescue personnel}}$ 

- Notify parent/guardian (EpiPen administration and calling 911 take priority over parent notification)
- Notify building principal and school nurse, if not already aware
- Complete an Accident/Incident Report **and** Medical Emergency Response Team Report

### Memo of Understanding:

- It is understood that a parent will complete and sign an Insect Sting Allergy Action Plan annually.
- It is understood that a parent will provide emergency medications needed at school.
- Is it the responsibility of the parent to notify the school nurse of any changes in the health plan.

This plan and medication will be used in case of emergency and accompany student off school property. This information may be shared with the classroom teacher(s), administrators, aides, bus driver, and other appropriate school personnel with a need to know.

Parent/Guardian Signature:	Date

School Nurse: \_\_\_\_\_\_ Anna Lisiecki, BSN, RN